IN THE CLAIMS

This listing of claims replaces all prior versions and listings of claims in the application:

1. (Previously Presented) A light-emitting device comprising:

a semiconductor light emitting diode capable of emitting light of a first wavelength, the semiconductor light emitting diode having a light-emitting surface, and

a phosphor layer provided on a first portion of the light-emitting surface, wherein the phosphor layer is capable of converting light of the first wavelength to visible light of a second wavelength,

wherein a second portion of the light-emitting surface is without the phosphor layer, and wherein the second portion is substantially surrounded by the first portion.

- (Previously Presented) A device as claimed in claim 1, wherein the sizes of the
 first portion and the second portion are such that mixing the emitted light of the first and the
 second wavelength results in substantially white light.
- 3. (Previously Presented) A device as claimed in claim 1, wherein the thickness of the phosphor layer is such that all the light of the first wavelength incident on the phosphor layer is converted to light of the second wavelength.
- 4. (Previously Presented) A device as claimed in claim 1, wherein the second portion without the phosphor layer is distributed over a plurality of regions on the light emitting surface.
- (Previously Presented) A device as claimed in claim 4, wherein the plurality of regions form a pattern.
- 6. (Previously Presented) A device as claimed in claim 1, wherein the second portion without the phosphor layer is at least partly covered with a light-transmitting layer which is capable of spreading light incident on said second portion.

PATENT LAW GROUP I/A 2013 N. PIRST ST. SUITE ZZZ SAN 2011, CA 95134 (403) 182-0480 FAX (403) 382-0481

-2-

Serial No. 09/803,999

- 7. (Canceled).
- 8. (Previously Presented) A device as claimed in claim 1, wherein the lighting device further comprises optical elements for mixing the emitted light of the first and the second wavelength.
- 9. (Previously Presented) A method of manufacturing a light-emitting device, the method comprising:

providing a semiconductor light emitting diode capable of emitting light of a first wavelength; the semiconductor light emitting diode having a light-emitting surface, and providing a phosphor layer on the light-emitting surface, which phosphor layer is capable of converting light of the first wavelength to visible light of a second wavelength,

wherein the phosphor layer is removed from, or not provided on, a portion of the lightemitting surface substantially surrounded by the phosphor layer.

- 10. (Previously Presented) A method as claimed in claim 9, wherein the phosphor layer is provided on the light-emitting surface by means of screen printing.
- 11. (Previously Presented) A device as claimed in claim 1, wherein the second portion is completely surrounded by the first portion.
- 12. (Previously Presented) A device as claimed in claim 1, wherein the second portion is disposed in a path of light emitted by the diode.
- 13. (Previously Presented) A device as claimed in claim 1, wherein the lightemitting surface is disposed in a path of light emitted by the diode.
- 14. (Previously Presented) A light-emitting device comprising:

 a semiconductor light emitting diode capable of emitting light of a first wavelength,
 the semiconductor light emitting diode having a light-emitting surface, and
 a plurality of regions of phosphor provided on the light-emitting surface, wherein:

PATENT LAW GROUP 12P 2635 N. FIRST ST, SUITR 223 SAN 105R, CA 44134 (403) 322-0480 FAX (403) 322-0481

the plurality of regions of phosphor are capable of converting light of the first wavelength to visible light of a second wavelength;

the plurality of regions of phosphor form a chessboard pattern; and the plurality of regions of phosphor are separated by regions of the lightemitting surface without phosphor.

- 15. (Canceled).
- (Currently Amended) A device as claimed in claim 15 14, wherein the regions 16. of the light-emitting surface without phosphor are at least partly covered with a lighttransmitting layer.
- 17. (Previously Presented) A device as claimed in claim 16, wherein a thickness of the light-transmitting layer is substantially the same as a thickness of phosphor in the regions of phosphor.
 - 18-19. (Canceled).
- 20. (Previously Presented) A device as claimed in claim 1 wherein the phosphor layer provided on a first portion of the light-emitting surface is a first phosphor layer, the device further comprising a second phosphor layer provided on a third portion of the lightemitting surface, the second phosphor layer being capable of emitting light of a third wavelength.
- 21. (Previously Presented) A device as claimed in claim 14 wherein the plurality of regions of phosphor comprises a plurality of regions of a first phosphor, the device further comprising a plurality of region of a second phosphor, the second phosphor layer being capable of emitting light of a third wavelength.
- 22, (Previously Presented) A device as claimed in claim 4, wherein a ratio of a size of the first portion to a size of the second portion is 1:1.
 - 23.
 - (Previously Presented) A light emitting diode comprising:

Serial No. 09/803,999

a light-emitting surface through which light is emitted, and

a phosphor layer provided on a first portion of the light-emitting surface, wherein:

the light emitting diode is configured such that light of a first wavelength is emitted through the light-emitting surface;

the phosphor layer is configured to convert light of the first wavelength to visible light of a second wavelength;

a second portion of the light-emitting surface is without the phosphor layer; and

the second portion is substantially surrounded by the first portion.

- 24. (Previously Presented) A device as claimed in claim 23, wherein the second portion without the phosphor layer is distributed over a plurality of regions on the light-emitting surface.
- 25. (Previously Presented) A device as claimed in claim 24, wherein the plurality of regions form a pattern.
- 26. (Previously Presented) A device as claimed in claim 23, wherein the second portion without the phosphor layer is at least partly covered with a light-transmitting layer which is capable of spreading light incident on said second portion

PATENT LAW
GROUP LLP
2015 M. FIRST ST.
SUITE 223
JAN 105E. CA 95134
(400) 302-0480
FAX 4400 362-0481